

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

HSDA = Brownsville

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 5-12 | Count | | 1 | 1 |
| | | % within Sex | | 5.6% | 1.4% |
| | 13-19 | Count | 2 | | 2 |
| | | % within Sex | 3.8% | | 2.9% |
| | 20-24 | Count | 5 | 8 | 13 |
| | | % within Sex | 9.6% | 44.4% | 18.6% |
| | 25-29 | Count | 9 | 2 | 11 |
| | | % within Sex | 17.3% | 11.1% | 15.7% |
| | 30-39 | Count | 17 | 5 | 22 |
| | | % within Sex | 32.7% | 27.8% | 31.4% |
| 40-49 | Count | 16 | 1 | 17 | |
| | % within Sex | 30.8% | 5.6% | 24.3% | |
| 50-59 | Count | 2 | | 2 | |
| | % within Sex | 3.8% | | 2.9% | |
| 70+ | Count | 1 | 1 | 2 | |
| | % within Sex | 1.9% | 5.6% | 2.9% | |
| Total | | Count | 52 | 18 | 70 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|--------------------|--------------|--------------|--------|--------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 11 | 1 | 12 |
| | | % within Sex | 21.2% | 5.6% | 17.1% |
| | African American | Count | 2 | | 2 |
| | | % within Sex | 3.8% | | 2.9% |
| | Hispanic | Count | 39 | 16 | 55 |
| | | % within Sex | 75.0% | 88.9% | 78.6% |
| | Am Indian-Alaskan | Count | | 1 | 1 |
| | | % within Sex | | 5.6% | 1.4% |
| | Total | | Count | 52 | 18 |
| | | | % within Sex | 100.0% | 100.0% |

a. HSDA = Brownsville

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 20 | | 20 |
| | | % within Sex | 38.5% | | 28.6% |
| | IDU | Count | 8 | 4 | 12 |
| | | % within Sex | 15.4% | 22.2% | 17.1% |
| | M-M & IDU | Count | 4 | | 4 |
| | | % within Sex | 7.7% | | 5.7% |
| | Heterosexual Contact | Count | 6 | 11 | 17 |
| | | % within Sex | 11.5% | 61.1% | 24.3% |
| | Not Classified | Count | 14 | 2 | 16 |
| | | % within Sex | 26.9% | 11.1% | 22.9% |
| | Ped Parent at Risk | Count | | 1 | 1 |
| | | % within Sex | | 5.6% | 1.4% |
| Total | Count | 52 | 18 | 70 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. HSDA = Brownsville

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|--------------------|--------------------|-----------|----------------------|-------|
| | | | Pediatric | Adult/Adol escent | |
| Race-Ethnicity | White Non-Hispanic | Count | | 12 | 12 |
| | | % within Adult-Ped | | 17.4% | 17.1% |
| | African American | Count | | 2 | 2 |
| | | % within Adult-Ped | | 2.9% | 2.9% |
| | Hispanic | Count | 1 | 54 | 55 |
| | | % within Adult-Ped | 100.0% | 78.3% | 78.6% |
| | Am Indian-Alaskan | Count | | 1 | 1 |
| | | % within Adult-Ped | | 1.4% | 1.4% |
| Total | Count | 1 | 69 | 70 | |
| | % within Adult-Ped | 100.0% | 100.0% | 100.0% | |

a. HSDA = Brownsville

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|-------|--------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Sex | Male | Count | | 52 | 52 |
| | | % within Adult-Ped | | 75.4% | 74.3% |
| | Female | Count | 1 | 17 | 18 |
| | | % within Adult-Ped | 100.0% | 24.6% | 25.7% |
| Total | | Count | 1 | 69 | 70 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

HSDA = Brownsville

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|-------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 1 | | 1 |
| | | % within Sex | 1.6% | | 1.1% |
| | 5-12 | Count | 2 | | 2 |
| | | % within Sex | 3.1% | | 2.1% |
| | 13-19 | Count | 2 | | 2 |
| | | % within Sex | 3.1% | | 2.1% |
| | 20-24 | Count | 7 | 2 | 9 |
| | | % within Sex | 10.9% | 6.5% | 9.5% |
| | 25-29 | Count | 12 | 8 | 20 |
| | | % within Sex | 18.8% | 25.8% | 21.1% |
| | 30-39 | Count | 20 | 13 | 33 |
| | | % within Sex | 31.3% | 41.9% | 34.7% |
| | 40-49 | Count | 15 | 6 | 21 |
| | | % within Sex | 23.4% | 19.4% | 22.1% |
| | 50-59 | Count | 3 | 1 | 4 |
| | | % within Sex | 4.7% | 3.2% | 4.2% |
| | 60-69 | Count | 1 | 1 | 2 |
| | | % within Sex | 1.6% | 3.2% | 2.1% |
| | 70+ | Count | 1 | | 1 |
| | | % within Sex | 1.6% | | 1.1% |
| Total | | Count | 64 | 31 | 95 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|--------------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 9 | 6 | 15 |
| | | % within Sex | 14.1% | 19.4% | 15.8% |
| | African American | Count | | 1 | 1 |
| | | % within Sex | | 3.2% | 1.1% |
| | Hispanic | Count | 55 | 24 | 79 |
| | | % within Sex | 85.9% | 77.4% | 83.2% |
| Total | Count | 64 | 31 | 95 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. HSDA = Brownsville

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|--------------------|----------------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 26 | | 26 |
| | | % within Sex | 40.6% | | 27.4% |
| | IDU | Count | 5 | 6 | 11 |
| | | % within Sex | 7.8% | 19.4% | 11.6% |
| | M-M & IDU | Count | 3 | | 3 |
| | | % within Sex | 4.7% | | 3.2% |
| | Heterosexual Contact | Count | 6 | 16 | 22 |
| | | % within Sex | 9.4% | 51.6% | 23.2% |
| | Transfusion | Count | | 1 | 1 |
| | | % within Sex | | 3.2% | 1.1% |
| Not Classified | Count | 21 | 8 | 29 | |
| | % within Sex | 32.8% | 25.8% | 30.5% | |
| Ped Parent at Risk | Count | 3 | | 3 | |
| | % within Sex | 4.7% | | 3.2% | |
| Total | Count | 64 | 31 | 95 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. HSDA = Brownsville

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|--------------------|--------------------|-----------|----------------------|-------|
| | | | Pediatric | Adult/Adol escent | |
| Race-Ethnicity | White Non-Hispanic | Count | | 15 | 15 |
| | | % within Adult-Ped | | 16.3% | 15.8% |
| | African American | Count | | 1 | 1 |
| | | % within Adult-Ped | | 1.1% | 1.1% |
| | Hispanic | Count | 3 | 76 | 79 |
| | | % within Adult-Ped | 100.0% | 82.6% | 83.2% |
| Total | Count | 3 | 92 | 95 | |
| | % within Adult-Ped | 100.0% | 100.0% | 100.0% | |

a. HSDA = Brownsville

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|-------|--------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Sex | Male | Count | 3 | 61 | 64 |
| | | % within Adult-Ped | 100.0% | 66.3% | 67.4% |
| | Female | Count | | 31 | 31 |
| | | % within Adult-Ped | | 33.7% | 32.6% |
| Total | | Count | 3 | 92 | 95 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Brownsville

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|---------------------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 1 | 1 | 2 |
| | | % within Sex | .5% | 1.1% | .7% |
| | 1 (12-23 mo) | Count | 1 | | 1 |
| | | % within Sex | .5% | | .3% |
| | 5-12 | Count | 2 | 2 | 4 |
| | | % within Sex | .9% | 2.2% | 1.3% |
| | 13-19 | Count | 7 | 4 | 11 |
| | | % within Sex | 3.3% | 4.5% | 3.6% |
| | 20-24 | Count | 24 | 20 | 44 |
| | | % within Sex | 11.2% | 22.5% | 14.5% |
| | 25-29 | Count | 42 | 16 | 58 |
| | | % within Sex | 19.5% | 18.0% | 19.1% |
| | 30-39 | Count | 77 | 29 | 106 |
| | | % within Sex | 35.8% | 32.6% | 34.9% |
| | 40-49 | Count | 45 | 12 | 57 |
| | | % within Sex | 20.9% | 13.5% | 18.8% |
| | 50-59 | Count | 10 | 2 | 12 |
| | | % within Sex | 4.7% | 2.2% | 3.9% |
| | 60-69 | Count | 4 | 2 | 6 |
| | | % within Sex | 1.9% | 2.2% | 2.0% |
| 70+ | Count | 2 | 1 | 3 | |
| | % within Sex | .9% | 1.1% | 1.0% | |
| Total | | Count | 215 | 89 | 304 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|--------------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 32 | 13 | 45 |
| | | % within Sex | 14.9% | 14.6% | 14.8% |
| | African American | Count | 3 | 1 | 4 |
| | | % within Sex | 1.4% | 1.1% | 1.3% |
| | Hispanic | Count | 180 | 74 | 254 |
| | | % within Sex | 83.7% | 83.1% | 83.6% |
| | Am Indian-Alaskan | Count | | 1 | 1 |
| | | % within Sex | | 1.1% | .3% |
| Total | Count | 215 | 89 | 304 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. HSDA = Brownsville

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 93 | | 93 |
| | | % within Sex | 43.3% | | 30.6% |
| | IDU | Count | 20 | 16 | 36 |
| | | % within Sex | 9.3% | 18.0% | 11.8% |
| | M-M & IDU | Count | 10 | | 10 |
| | | % within Sex | 4.7% | | 3.3% |
| | Heterosexual Contact | Count | 22 | 51 | 73 |
| | | % within Sex | 10.2% | 57.3% | 24.0% |
| | Transfusion | Count | | 1 | 1 |
| | | % within Sex | | 1.1% | .3% |
| | Not Classified | Count | 66 | 18 | 84 |
| | | % within Sex | 30.7% | 20.2% | 27.6% |
| | Ped Parent at Risk | Count | 4 | 3 | 7 |
| | | % within Sex | 1.9% | 3.4% | 2.3% |
| Total | Count | 215 | 89 | 304 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. HSDA = Brownsville

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|--------------------|--------------------|-----------|------------------|--------|
| | | | Pediatric | Adult/Adolescent | |
| Race-Ethnicity | White Non-Hispanic | Count | | 45 | 45 |
| | | % within Adult-Ped | | 15.2% | 14.8% |
| | African American | Count | | 4 | 4 |
| | | % within Adult-Ped | | 1.3% | 1.3% |
| | Hispanic | Count | 7 | 247 | 254 |
| | | % within Adult-Ped | 100.0% | 83.2% | 83.6% |
| | Am Indian-Alaskan | Count | | 1 | 1 |
| | | % within Adult-Ped | | .3% | .3% |
| | Total | | 7 | 297 | 304 |
| | | | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|-------|--------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Sex | Male | Count | 4 | 211 | 215 |
| | | % within Adult-Ped | 57.1% | 71.0% | 70.7% |
| | Female | Count | 3 | 86 | 89 |
| | | % within Adult-Ped | 42.9% | 29.0% | 29.3% |
| Total | | Count | 7 | 297 | 304 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Brownsville

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 1 | 1 | 2 |
| | | % within Sex | .5% | 1.1% | .7% |
| | 1 (12-23 mo) | Count | 1 | | 1 |
| | | % within Sex | .5% | | .3% |
| | 5-12 | Count | 2 | 2 | 4 |
| | | % within Sex | 1.0% | 2.2% | 1.3% |
| | 13-19 | Count | 7 | 4 | 11 |
| | | % within Sex | 3.4% | 4.5% | 3.7% |
| | 20-24 | Count | 24 | 20 | 44 |
| | | % within Sex | 11.5% | 22.5% | 14.8% |
| | 25-29 | Count | 42 | 16 | 58 |
| | | % within Sex | 20.2% | 18.0% | 19.5% |
| | 30-39 | Count | 75 | 29 | 104 |
| | | % within Sex | 36.1% | 32.6% | 35.0% |
| | 40-49 | Count | 43 | 12 | 55 |
| | | % within Sex | 20.7% | 13.5% | 18.5% |
| | 50-59 | Count | 9 | 2 | 11 |
| | | % within Sex | 4.3% | 2.2% | 3.7% |
| | 60-69 | Count | 3 | 2 | 5 |
| | | % within Sex | 1.4% | 2.2% | 1.7% |
| | 70+ | Count | 1 | 1 | 2 |
| | | % within Sex | .5% | 1.1% | .7% |
| Total | | Count | 208 | 89 | 297 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

| | | | Sex | | Total |
|-------------|-------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Current Age | 2-4 | Count | 1 | | 1 |
| | | % within Sex | .5% | | .3% |
| | 5-12 | Count | 3 | 2 | 5 |
| | | % within Sex | 1.4% | 2.2% | 1.7% |
| | 13-19 | Count | 3 | 3 | 6 |
| | | % within Sex | 1.4% | 3.4% | 2.0% |
| | 20-24 | Count | 12 | 11 | 23 |
| | | % within Sex | 5.8% | 12.4% | 7.7% |
| | 25-29 | Count | 29 | 14 | 43 |
| | | % within Sex | 13.9% | 15.7% | 14.5% |
| | 30-39 | Count | 80 | 38 | 118 |
| | | % within Sex | 38.5% | 42.7% | 39.7% |
| | 40-49 | Count | 64 | 15 | 79 |
| | | % within Sex | 30.8% | 16.9% | 26.6% |
| | 50-59 | Count | 9 | 3 | 12 |
| | | % within Sex | 4.3% | 3.4% | 4.0% |
| | 60-69 | Count | 6 | 2 | 8 |
| | | % within Sex | 2.9% | 2.2% | 2.7% |
| | 70+ | Count | 1 | 1 | 2 |
| | | % within Sex | .5% | 1.1% | .7% |
| Total | | Count | 208 | 89 | 297 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|--------------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 31 | 13 | 44 |
| | | % within Sex | 14.9% | 14.6% | 14.8% |
| | African American | Count | 3 | 1 | 4 |
| | | % within Sex | 1.4% | 1.1% | 1.3% |
| | Hispanic | Count | 174 | 74 | 248 |
| | | % within Sex | 83.7% | 83.1% | 83.5% |
| | Am Indian-Alaskan | Count | | 1 | 1 |
| | | % within Sex | | 1.1% | .3% |
| Total | Count | 208 | 89 | 297 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. HSDA = Brownsville

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 90 | | 90 |
| | | % within Sex | 43.3% | | 30.3% |
| | IDU | Count | 19 | 16 | 35 |
| | | % within Sex | 9.1% | 18.0% | 11.8% |
| | M-M & IDU | Count | 10 | | 10 |
| | | % within Sex | 4.8% | | 3.4% |
| | Heterosexual Contact | Count | 20 | 51 | 71 |
| | | % within Sex | 9.6% | 57.3% | 23.9% |
| | Transfusion | Count | | 1 | 1 |
| | | % within Sex | | 1.1% | .3% |
| | Not Classified | Count | 65 | 18 | 83 |
| | | % within Sex | 31.3% | 20.2% | 27.9% |
| | Ped Parent at Risk | Count | 4 | 3 | 7 |
| | | % within Sex | 1.9% | 3.4% | 2.4% |
| Total | | Count | 208 | 89 | 297 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|--------------------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Race-Ethnicity | White Non-Hispanic | Count | | 44 | 44 |
| | | % within Adult-Ped | | 15.2% | 14.8% |
| | African American | Count | | 4 | 4 |
| | | % within Adult-Ped | | 1.4% | 1.3% |
| | Hispanic | Count | 7 | 241 | 248 |
| | | % within Adult-Ped | 100.0% | 83.1% | 83.5% |
| | Am Indian-Alaskan | Count | | 1 | 1 |
| | | % within Adult-Ped | | .3% | .3% |
| | Total | | 7 | 290 | 297 |
| | | | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|-------|--------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Sex | Male | Count | 4 | 204 | 208 |
| | | % within Adult-Ped | 57.1% | 70.3% | 70.0% |
| | Female | Count | 3 | 86 | 89 |
| | | % within Adult-Ped | 42.9% | 29.7% | 30.0% |
| Total | | Count | 7 | 290 | 297 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

HSDA = Brownsville

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|---------------------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 1 (12-23 mo) | Count | | 1 | 1 |
| | | % within Sex | | 9.1% | 1.1% |
| | 5-12 | Count | 1 | | 1 |
| | | % within Sex | 1.3% | | 1.1% |
| | 13-19 | Count | 1 | 1 | 2 |
| | | % within Sex | 1.3% | 9.1% | 2.3% |
| | 20-24 | Count | | 1 | 1 |
| | | % within Sex | | 9.1% | 1.1% |
| | 25-29 | Count | 11 | 1 | 12 |
| | | % within Sex | 14.3% | 9.1% | 13.6% |
| | 30-39 | Count | 26 | 5 | 31 |
| | | % within Sex | 33.8% | 45.5% | 35.2% |
| | 40-49 | Count | 24 | 1 | 25 |
| | | % within Sex | 31.2% | 9.1% | 28.4% |
| | 50-59 | Count | 11 | 1 | 12 |
| | | % within Sex | 14.3% | 9.1% | 13.6% |
| | 60-69 | Count | 3 | | 3 |
| | | % within Sex | 3.9% | | 3.4% |
| Total | | Count | 77 | 11 | 88 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|--------------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 12 | 1 | 13 |
| | | % within Sex | 15.6% | 9.1% | 14.8% |
| | African American | Count | 1 | 1 | 2 |
| | | % within Sex | 1.3% | 9.1% | 2.3% |
| | Hispanic | Count | 64 | 9 | 73 |
| | | % within Sex | 83.1% | 81.8% | 83.0% |
| Total | Count | 77 | 11 | 88 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. HSDA = Brownsville

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 36 | | 36 |
| | | % within Sex | 46.8% | | 40.9% |
| | IDU | Count | 8 | 2 | 10 |
| | | % within Sex | 10.4% | 18.2% | 11.4% |
| | M-M & IDU | Count | 1 | | 1 |
| | | % within Sex | 1.3% | | 1.1% |
| | Hemophiliac | Count | 1 | | 1 |
| | | % within Sex | 1.3% | | 1.1% |
| | Heterosexual Contact | Count | 9 | 7 | 16 |
| | | % within Sex | 11.7% | 63.6% | 18.2% |
| | Not Classified | Count | 21 | 1 | 22 |
| | | % within Sex | 27.3% | 9.1% | 25.0% |
| | Ped Parent at Risk | Count | 1 | 1 | 2 |
| | | % within Sex | 1.3% | 9.1% | 2.3% |
| Total | | Count | 77 | 11 | 88 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|--------------------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Race-Ethnicity | White Non-Hispanic | Count | | 13 | 13 |
| | | % within Adult-Ped | | 15.1% | 14.8% |
| | African American | Count | | 2 | 2 |
| | | % within Adult-Ped | | 2.3% | 2.3% |
| | Hispanic | Count | 2 | 71 | 73 |
| | | % within Adult-Ped | 100.0% | 82.6% | 83.0% |
| Total | | Count | 2 | 86 | 88 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|-------|--------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Sex | Male | Count | 1 | 76 | 77 |
| | | % within Adult-Ped | 50.0% | 88.4% | 87.5% |
| | Female | Count | 1 | 10 | 11 |
| | | % within Adult-Ped | 50.0% | 11.6% | 12.5% |
| Total | | Count | 2 | 86 | 88 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

HSDA = Brownsville

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|-------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 20-24 | Count | 1 | | 1 |
| | | % within Sex | 1.4% | | 1.1% |
| | 25-29 | Count | 10 | 5 | 15 |
| | | % within Sex | 13.5% | 23.8% | 15.8% |
| | 30-39 | Count | 32 | 8 | 40 |
| | | % within Sex | 43.2% | 38.1% | 42.1% |
| | 40-49 | Count | 19 | 3 | 22 |
| | | % within Sex | 25.7% | 14.3% | 23.2% |
| | 50-59 | Count | 8 | 3 | 11 |
| | | % within Sex | 10.8% | 14.3% | 11.6% |
| | 60-69 | Count | 3 | 2 | 5 |
| | | % within Sex | 4.1% | 9.5% | 5.3% |
| | 70+ | Count | 1 | | 1 |
| | | % within Sex | 1.4% | | 1.1% |
| Total | | Count | 74 | 21 | 95 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 7 | 2 | 9 |
| | | % within Sex | 9.5% | 9.5% | 9.5% |
| | Hispanic | Count | 67 | 18 | 85 |
| | | % within Sex | 90.5% | 85.7% | 89.5% |
| | Asian-Pacific Islander | Count | | 1 | 1 |
| | | % within Sex | | 4.8% | 1.1% |
| Total | Count | 74 | 21 | 95 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. HSDA = Brownsville

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 29 | | 29 |
| | | % within Sex | 39.2% | | 30.5% |
| | IDU | Count | 8 | 3 | 11 |
| | | % within Sex | 10.8% | 14.3% | 11.6% |
| | M-M & IDU | Count | 1 | | 1 |
| | | % within Sex | 1.4% | | 1.1% |
| | Heterosexual Contact | Count | 8 | 15 | 23 |
| | | % within Sex | 10.8% | 71.4% | 24.2% |
| | Transfusion | Count | 1 | | 1 |
| | | % within Sex | 1.4% | | 1.1% |
| | Not Classified | Count | 27 | 3 | 30 |
| | | % within Sex | 36.5% | 14.3% | 31.6% |
| Total | Count | 74 | 21 | 95 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. HSDA = Brownsville

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | Total |
|----------------|------------------------|--------------------|----------------------|-------|
| | | | Adult/Adol escent | |
| Race-Ethnicity | White Non-Hispanic | Count | 9 | 9 |
| | | % within Adult-Ped | 9.5% | 9.5% |
| | Hispanic | Count | 85 | 85 |
| | | % within Adult-Ped | 89.5% | 89.5% |
| | Asian-Pacific Islander | Count | 1 | 1 |
| | | % within Adult-Ped | 1.1% | 1.1% |
| Total | Count | 95 | 95 | |
| | % within Adult-Ped | 100.0% | 100.0% | |

a. HSDA = Brownsville

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | Total |
|-------|--------|--------------------|----------------------|--------|
| | | | Adult/Adol escent | |
| Sex | Male | Count | 74 | 74 |
| | | % within Adult-Ped | 77.9% | 77.9% |
| | Female | Count | 21 | 21 |
| | | % within Adult-Ped | 22.1% | 22.1% |
| Total | | Count | 95 | 95 |
| | | % within Adult-Ped | 100.0% | 100.0% |

a. HSDA = Brownsville

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Brownsville

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 4 | 2 | 6 |
| | | % within Sex | .5% | 1.7% | .7% |
| | 1 (12-23 mo) | Count | 1 | 4 | 5 |
| | | % within Sex | .1% | 3.4% | .6% |
| | 2-4 | Count | | 2 | 2 |
| | | % within Sex | | 1.7% | .2% |
| | 5-12 | Count | 5 | 2 | 7 |
| | | % within Sex | .6% | 1.7% | .8% |
| | 13-19 | Count | 9 | 4 | 13 |
| | | % within Sex | 1.1% | 3.4% | 1.4% |
| | 20-24 | Count | 38 | 8 | 46 |
| | | % within Sex | 4.8% | 6.8% | 5.1% |
| | 25-29 | Count | 130 | 18 | 148 |
| | | % within Sex | 16.6% | 15.3% | 16.4% |
| | 30-39 | Count | 338 | 35 | 373 |
| | | % within Sex | 43.1% | 29.7% | 41.4% |
| | 40-49 | Count | 168 | 23 | 191 |
| | | % within Sex | 21.4% | 19.5% | 21.2% |
| | 50-59 | Count | 63 | 13 | 76 |
| | | % within Sex | 8.0% | 11.0% | 8.4% |
| | 60-69 | Count | 26 | 6 | 32 |
| | | % within Sex | 3.3% | 5.1% | 3.5% |
| | 70+ | Count | 2 | 1 | 3 |
| | | % within Sex | .3% | .8% | .3% |
| Total | | Count | 784 | 118 | 902 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 116 | 13 | 129 |
| | | % within Sex | 14.8% | 11.0% | 14.3% |
| | African American | Count | 7 | 3 | 10 |
| | | % within Sex | .9% | 2.5% | 1.1% |
| | Hispanic | Count | 660 | 101 | 761 |
| | | % within Sex | 84.2% | 85.6% | 84.4% |
| | Asian-Pacific Islander | Count | 1 | 1 | 2 |
| | | % within Sex | .1% | .8% | .2% |
| Total | Count | 784 | 118 | 902 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. HSDA = Brownsville

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 451 | | 451 |
| | | % within Sex | 57.5% | | 50.0% |
| | IDU | Count | 63 | 18 | 81 |
| | | % within Sex | 8.0% | 15.3% | 9.0% |
| | M-M & IDU | Count | 46 | | 46 |
| | | % within Sex | 5.9% | | 5.1% |
| | Hemophiliac | Count | 10 | | 10 |
| | | % within Sex | 1.3% | | 1.1% |
| | Heterosexual Contact | Count | 35 | 68 | 103 |
| | | % within Sex | 4.5% | 57.6% | 11.4% |
| | Transfusion | Count | 7 | 6 | 13 |
| | | % within Sex | .9% | 5.1% | 1.4% |
| | Not Classified | Count | 161 | 16 | 177 |
| | | % within Sex | 20.5% | 13.6% | 19.6% |
| | Ped Hemophiliac | Count | 4 | | 4 |
| | | % within Sex | .5% | | .4% |
| | Ped Parent at Risk | Count | 7 | 9 | 16 |
| | | % within Sex | .9% | 7.6% | 1.8% |
| | Ped Transfusion | Count | | 1 | 1 |
| | | % within Sex | | .8% | .1% |
| Total | Count | 784 | 118 | 902 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. HSDA = Brownsville

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|-------|
| | | | Pediatric | Adult/Adol escent | |
| Race-Ethnicity | White Non-Hispanic | Count | 2 | 127 | 129 |
| | | % within Adult-Ped | 10.0% | 14.4% | 14.3% |
| | African American | Count | | 10 | 10 |
| | | % within Adult-Ped | | 1.1% | 1.1% |
| | Hispanic | Count | 18 | 743 | 761 |
| | | % within Adult-Ped | 90.0% | 84.2% | 84.4% |
| | Asian-Pacific Islander | Count | | 2 | 2 |
| | | % within Adult-Ped | | .2% | .2% |
| Total | Count | 20 | 882 | 902 | |
| | % within Adult-Ped | 100.0% | 100.0% | 100.0% | |

a. HSDA = Brownsville

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|-------|--------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Sex | Male | Count | 10 | 774 | 784 |
| | | % within Adult-Ped | 50.0% | 87.8% | 86.9% |
| | Female | Count | 10 | 108 | 118 |
| | | % within Adult-Ped | 50.0% | 12.2% | 13.1% |
| Total | | Count | 20 | 882 | 902 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Brownsville

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 1 | 1 | 2 |
| | | % within Sex | .2% | 1.3% | .4% |
| | 1 (12-23 mo) | Count | 1 | 2 | 3 |
| | | % within Sex | .2% | 2.5% | .6% |
| | 2-4 | Count | | 2 | 2 |
| | | % within Sex | | 2.5% | .4% |
| | 5-12 | Count | 3 | 1 | 4 |
| | | % within Sex | .7% | 1.3% | .7% |
| | 13-19 | Count | 4 | 4 | 8 |
| | | % within Sex | .9% | 5.1% | 1.5% |
| | 20-24 | Count | 20 | 6 | 26 |
| | | % within Sex | 4.4% | 7.6% | 4.8% |
| | 25-29 | Count | 74 | 14 | 88 |
| | | % within Sex | 16.2% | 17.7% | 16.4% |
| | 30-39 | Count | 201 | 26 | 227 |
| | | % within Sex | 43.9% | 32.9% | 42.3% |
| | 40-49 | Count | 98 | 15 | 113 |
| | | % within Sex | 21.4% | 19.0% | 21.0% |
| | 50-59 | Count | 42 | 5 | 47 |
| | | % within Sex | 9.2% | 6.3% | 8.8% |
| | 60-69 | Count | 14 | 2 | 16 |
| | | % within Sex | 3.1% | 2.5% | 3.0% |
| | 70+ | Count | | 1 | 1 |
| | | % within Sex | | 1.3% | .2% |
| Total | | Count | 458 | 79 | 537 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

| | | | Sex | | Total |
|-------------|-------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Current Age | 2-4 | Count | | 2 | 2 |
| | | % within Sex | | 2.5% | .4% |
| | 5-12 | Count | 2 | 2 | 4 |
| | | % within Sex | .4% | 2.5% | .7% |
| | 13-19 | Count | 1 | 3 | 4 |
| | | % within Sex | .2% | 3.8% | .7% |
| | 20-24 | Count | 4 | 3 | 7 |
| | | % within Sex | .9% | 3.8% | 1.3% |
| | 25-29 | Count | 29 | 13 | 42 |
| | | % within Sex | 6.3% | 16.5% | 7.8% |
| | 30-39 | Count | 173 | 22 | 195 |
| | | % within Sex | 37.8% | 27.8% | 36.3% |
| | 40-49 | Count | 162 | 23 | 185 |
| | | % within Sex | 35.4% | 29.1% | 34.5% |
| | 50-59 | Count | 63 | 5 | 68 |
| | | % within Sex | 13.8% | 6.3% | 12.7% |
| | 60-69 | Count | 19 | 4 | 23 |
| | | % within Sex | 4.1% | 5.1% | 4.3% |
| | 70+ | Count | 5 | 2 | 7 |
| | | % within Sex | 1.1% | 2.5% | 1.3% |
| Total | | Count | 458 | 79 | 537 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 64 | 8 | 72 |
| | | % within Sex | 14.0% | 10.1% | 13.4% |
| | African American | Count | 3 | 1 | 4 |
| | | % within Sex | .7% | 1.3% | .7% |
| | Hispanic | Count | 390 | 69 | 459 |
| | | % within Sex | 85.2% | 87.3% | 85.5% |
| | Asian-Pacific Islander | Count | 1 | 1 | 2 |
| | | % within Sex | .2% | 1.3% | .4% |
| Total | Count | 458 | 79 | 537 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. HSDA = Brownsville

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 251 | | 251 |
| | | % within Sex | 54.8% | | 46.7% |
| | IDU | Count | 39 | 10 | 49 |
| | | % within Sex | 8.5% | 12.7% | 9.1% |
| | M-M & IDU | Count | 18 | | 18 |
| | | % within Sex | 3.9% | | 3.4% |
| | Hemophiliac | Count | 2 | | 2 |
| | | % within Sex | .4% | | .4% |
| | Heterosexual Contact | Count | 30 | 51 | 81 |
| | | % within Sex | 6.6% | 64.6% | 15.1% |
| | Transfusion | Count | 1 | 2 | 3 |
| | | % within Sex | .2% | 2.5% | .6% |
| | Not Classified | Count | 112 | 10 | 122 |
| | | % within Sex | 24.5% | 12.7% | 22.7% |
| | Ped Hemophiliac | Count | 2 | | 2 |
| | | % within Sex | .4% | | .4% |
| | Ped Parent at Risk | Count | 3 | 6 | 9 |
| | | % within Sex | .7% | 7.6% | 1.7% |
| Total | | Count | 458 | 79 | 537 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Race-Ethnicity | White Non-Hispanic | Count | | 72 | 72 |
| | | % within Adult-Ped | | 13.7% | 13.4% |
| | African American | Count | | 4 | 4 |
| | | % within Adult-Ped | | .8% | .7% |
| | Hispanic | Count | 11 | 448 | 459 |
| | | % within Adult-Ped | 100.0% | 85.2% | 85.5% |
| | Asian-Pacific Islander | Count | | 2 | 2 |
| | | % within Adult-Ped | | .4% | .4% |
| Total | | Count | 11 | 526 | 537 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|-------|--------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Sex | Male | Count | 5 | 453 | 458 |
| | | % within Adult-Ped | 45.5% | 86.1% | 85.3% |
| | Female | Count | 6 | 73 | 79 |
| | | % within Adult-Ped | 54.5% | 13.9% | 14.7% |
| Total | | Count | 11 | 526 | 537 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

HSDA = Brownsville

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 2 | 2 | 4 |
| | | % within Sex | .3% | 1.2% | .5% |
| | 1 (12-23 mo) | Count | 2 | 2 | 4 |
| | | % within Sex | .3% | 1.2% | .5% |
| | 2-4 | Count | | 2 | 2 |
| | | % within Sex | | 1.2% | .2% |
| | 5-12 | Count | 5 | 3 | 8 |
| | | % within Sex | .8% | 1.8% | 1.0% |
| | 13-19 | Count | 11 | 8 | 19 |
| | | % within Sex | 1.7% | 4.8% | 2.3% |
| | 20-24 | Count | 44 | 26 | 70 |
| | | % within Sex | 6.6% | 15.5% | 8.4% |
| | 25-29 | Count | 116 | 30 | 146 |
| | | % within Sex | 17.4% | 17.9% | 17.5% |
| | 30-39 | Count | 276 | 55 | 331 |
| | | % within Sex | 41.4% | 32.7% | 39.7% |
| | 40-49 | Count | 141 | 27 | 168 |
| | | % within Sex | 21.2% | 16.1% | 20.1% |
| | 50-59 | Count | 51 | 7 | 58 |
| | | % within Sex | 7.7% | 4.2% | 7.0% |
| | 60-69 | Count | 17 | 4 | 21 |
| | | % within Sex | 2.6% | 2.4% | 2.5% |
| | 70+ | Count | 1 | 2 | 3 |
| | | % within Sex | .2% | 1.2% | .4% |
| Total | | Count | 666 | 168 | 834 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age * Sex Crosstabulation^a

| | | | Sex | | Total |
|-------------|-------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Current Age | 2-4 | Count | 1 | 2 | 3 |
| | | % within Sex | .2% | 1.2% | .4% |
| | 5-12 | Count | 5 | 4 | 9 |
| | | % within Sex | .8% | 2.4% | 1.1% |
| | 13-19 | Count | 4 | 6 | 10 |
| | | % within Sex | .6% | 3.6% | 1.2% |
| | 20-24 | Count | 16 | 14 | 30 |
| | | % within Sex | 2.4% | 8.3% | 3.6% |
| | 25-29 | Count | 58 | 27 | 85 |
| | | % within Sex | 8.7% | 16.1% | 10.2% |
| | 30-39 | Count | 253 | 60 | 313 |
| | | % within Sex | 38.0% | 35.7% | 37.5% |
| | 40-49 | Count | 226 | 38 | 264 |
| | | % within Sex | 33.9% | 22.6% | 31.7% |
| | 50-59 | Count | 72 | 8 | 80 |
| | | % within Sex | 10.8% | 4.8% | 9.6% |
| | 60-69 | Count | 25 | 6 | 31 |
| | | % within Sex | 3.8% | 3.6% | 3.7% |
| | 70+ | Count | 6 | 3 | 9 |
| | | % within Sex | .9% | 1.8% | 1.1% |
| Total | | Count | 666 | 168 | 834 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 95 | 21 | 116 |
| | | % within Sex | 14.3% | 12.5% | 13.9% |
| | African American | Count | 6 | 2 | 8 |
| | | % within Sex | .9% | 1.2% | 1.0% |
| | Hispanic | Count | 564 | 143 | 707 |
| | | % within Sex | 84.7% | 85.1% | 84.8% |
| | Asian-Pacific Islander | Count | 1 | 1 | 2 |
| | | % within Sex | .2% | .6% | .2% |
| | Am Indian-Alaskan | Count | | 1 | 1 |
| | | % within Sex | | .6% | .1% |
| Total | Count | 666 | 168 | 834 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. HSDA = Brownsville

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 341 | | 341 |
| | | % within Sex | 51.2% | | 40.9% |
| | IDU | Count | 58 | 26 | 84 |
| | | % within Sex | 8.7% | 15.5% | 10.1% |
| | M-M & IDU | Count | 28 | | 28 |
| | | % within Sex | 4.2% | | 3.4% |
| | Hemophiliac | Count | 2 | | 2 |
| | | % within Sex | .3% | | .2% |
| | Heterosexual Contact | Count | 50 | 102 | 152 |
| | | % within Sex | 7.5% | 60.7% | 18.2% |
| | Transfusion | Count | 1 | 3 | 4 |
| | | % within Sex | .2% | 1.8% | .5% |
| | Not Classified | Count | 177 | 28 | 205 |
| | | % within Sex | 26.6% | 16.7% | 24.6% |
| | Ped Hemophiliac | Count | 2 | | 2 |
| | | % within Sex | .3% | | .2% |
| | Ped Parent at Risk | Count | 7 | 9 | 16 |
| | | % within Sex | 1.1% | 5.4% | 1.9% |
| Total | | Count | 666 | 168 | 834 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Race-Ethnicity | White Non-Hispanic | Count | | 116 | 116 |
| | | % within Adult-Ped | | 14.2% | 13.9% |
| | African American | Count | | 8 | 8 |
| | | % within Adult-Ped | | 1.0% | 1.0% |
| | Hispanic | Count | 18 | 689 | 707 |
| | | % within Adult-Ped | 100.0% | 84.4% | 84.8% |
| | Asian-Pacific Islander | Count | | 2 | 2 |
| | | % within Adult-Ped | | .2% | .2% |
| | Am Indian-Alaskan | Count | | 1 | 1 |
| | | % within Adult-Ped | | .1% | .1% |
| Total | | Count | 18 | 816 | 834 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|-------|--------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Sex | Male | Count | 9 | 657 | 666 |
| | | % within Adult-Ped | 50.0% | 80.5% | 79.9% |
| | Female | Count | 9 | 159 | 168 |
| | | % within Adult-Ped | 50.0% | 19.5% | 20.1% |
| Total | | Count | 18 | 816 | 834 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. HSDA = Brownsville